

PATIENT A

		Vitalie Waarden																											
		18:00	19:00	20:00	21:00	22:00	23:00	0:00	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00				
HF			114	115	135	173	191	170	169	169	162	169	166	162	158	153	155	159	182						186	185	181		
Art_s					56	71	93	105	115	95	95	88	93	55	66	68	57	88							72	70	58		
Art_d					26	38	52	60	67	64	65	64	66	23	27	30	24	35							32	31	25		
NIBD_s			66	53	64	65	53									56	61										70		
NIBD_d			32	23	34	28	25									29	32										22		
CVD																											8		
Temp			34.4	33.7																								8	
BloedTemp																													
Resp Freq Monitor			71	60	52	71	69	69	60	51	51	40	40	40	40	30	30	30	31	35	35	35	35	35	35	35	35	35	
FIO2			96.7	96.9	97.6	97.6	92.2	92.8	93.6	93.7	93.6	93.6	86.8	86.8	87.1	87.3	68.3	66.9	94.2	82.2	70.7	70.4	70.4	70.4	70.4	70.4	70		
Resp. mode			STDVY	PC	PCSTDVY	PC	PC	PC	PC	PC	PC	PC	PC	PC	PC	PC	PC	PC	PC	PRVC	PRVC	PRVC	PRVC	PRVC	PRVC	PRVC	PRVC		
Lab gegevens																													
pH (bloed)			6.87	7.04	7.32	7.36	7.42		7.52		7.58	7.59		7.55		7.38		7.36											
PACO2 (bloed)			8.7	4.6	3.3	3.5	3.6		3		2.8	2.7		2.8		5.4		5.8											
Base excess (bloed)			-23	-20	-12	-9	-6		-3		-1	-1		-2		-1		-1											
bicarbonaat (bloed)			11.2	9.1	12.4	14.5	17.2		18.2		19.2	19.5		18.5		23.5		23.8											
Calcium ion (bloed)			1.47						1.13		1.13			1.13		8.8		8.7											
Glucose (bloed)			14.2						4.3		5.3	5.4		6.5		8.7		14.1											
Natrium (bloed)			143											2.8		4.1		3.2											
Kalium (bloed)			4.8						4.8		3.6	3.5		4.1		4		5.5											
PACO2 (bloed)																													
APTT (bloed)																													
PT (bloed)																													
Eerste 24 uur vitale waarden																													
Laagste >0														Hoogste															
HF			114																										
Art_s			55																										
Art_d			23																										
NIBD_s			53																										
NIBD_d			22																										
CVD			6																										
Temp			33.7																										
BloedTemp																													
Resp Freq Monitor			30																										
FIO2			66.9																										
Eerste 24 uur LAB gegevens																													
Laagste														Hoogste															
pH (bloed)			6.87																										
PACO2 (bloed)			2.7																										
Base excess (bloed)			-23																										
bicarbonaat (bloed)			9.1																										
Calcium ion (bloed)			1.13																										
Glucose (bloed)			4																										
Natrium (bloed)			135																										
Kalium (bloed)			2.8																										
PACO2 (bloed)			3.2																										
APTT (bloed)			56																										
PT (bloed)			21.2																										
PICE																													
na 2-5fl/ Eyes open																													
na 2-5fl/ Motor																													
na 2-5fl/ Verbale																													
		18:00	19:00	20:00	21:00	22:00	23:00	0:00	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00				